

Delock 5G LTE Antenna SMA plug 0 - 3 dBi fixed omnidirectional with magnetic base and connection cable RF195 3 m outdoor black

Description

This antenna by Delock allows the usage of different 5G and LTE bands indoors and outdoors.



Item no. 12590

EAN: 4043619125906

Country of origin: China

Package: Box

Technical details

- Connector: 1 x SMA plug
- Frequency range:
 - 698 MHz - 960 MHz
 - 1710 MHz - 2170 MHz
 - 2500 MHz - 2700 MHz
 - 3400 MHz - 3800 MHz
- 5G, ZigBee, LoRa, DECT, Z-Wave, NB-IoT, Bluetooth, GSM, UMTS, LTE, ISM, WLAN 2.4 GHz
- Antenna gain: 0 - 3 dBi
- Impedance: 50 Ohm
- VSWR: 2.0
- Polarisation: linear, vertical
- Operating temperature: -20 °C ~ 70 °C
- Housing material: ABS
- Colour: black
- Protection class: IPX5
- Cable: coaxial

- Cable type: RF195
- Cable colour: black
- Cable attenuation: 0.46 dB @ 1.5 GHz per meter
- Cable diameter: ca. 4.95 mm
- Cable length incl. connector: ca. 3 m
- Dimensions (LxD): ca. 110.0 x 77.0 mm


System requirements

- Device with a free SMA connector

Package content

- Antenna

Images



General

| | |
|-----------------------|----------|
| Mounting type: | magnetic |
| Protection category: | IPX5 |
| Suitable for outdoor: | yes |

Interface

| | |
|------------|--------------|
| connector: | 1 x SMA plug |
|------------|--------------|

Technical characteristics

| | |
|------------------------|--|
| Frequency range: | 2500 MHz - 2700 MHz 698 MHz - 960 MHz 3400 MHz - 3800 MHz 1710 MHz - 2170 MHz |
| Antenna gain: | 0 - 3 dBi |
| Impedance: | 50 Ω |
| Operating temperature: | -20 °C ~ 70 °C |
| Polarisation: | linear vertical |
| VSWR: | 2.0 |

Physical characteristics

| | |
|-------------------------------|-----------------------------|
| Housing material: | ABS |
| Cable category: | coaxial |
| Cable type: | RF195 |
| Cable attenuation: | 0.46 dB @ 1.5 GHz per meter |
| Cable colour: | black |
| Cable length incl. connector: | 3.0 m |
| Dimensions (LxØ): | 110.0 x 77.0 mm |