


Delock External Power Supply DC 3.5 x 1.35 mm, DC 5.5 x 2.1 mm, DC 5.5 x 2.5 mm 12.0 V / 3.0 A / 36.0 W

Description

This external 12 V power supply by Delock can be used to supply power to various devices. With the three permanently installed DC connectors (3.5 x 1.35 mm, 5.5 x 2.1 mm and 5.5 x 2.5 mm), the power supply can be used universally.

Note

To ensure the correct function of the connected device, it must match the specifications for voltage, current and polarity of the power supply.



Item no. 41467

EAN: 4043619414673

Country of origin: China

Package: White Box

Technical details

- Connector:
 - 1 x plug CEE 7/16
 - 1 x DC 3.5 x 1.35 x 10.0 mm male
 - 1 x DC 5.5 x 2.1 x 10.0 mm male
 - 1 x DC 5.5 x 2.5 x 10.0 mm male
- Ground outside, plus inside
- Switching power supply
- Input: AC 100 ~ 240 V / 50 ~ 60 Hz / 1.0 A
- Output: 12.0 V / 3.0 A
- Output power: max. 36.0 W total
- Average active efficiency 87.40 %
- Efficiency at low load (10 %) 85.48 %
- No-load power consumption 0.08 W
- Cable length: ca. 1.8 m

Package content

- Power supply
- User manual

Images



Physical characteristics

Housing colour:	black
-----------------	-------

Power supply

Input:	AC 100 - 240 V / 50 - 60 Hz / 1.0 A
Output:	12.0 V / 3.0 A
Connector:	DC male 3.5 mm x 1.35 mm DC male 5.5 mm x 2.1 mm DC plug 5.5 mm x 2.5 mm