

# Delock Conduit Fitting with brass external thread M25 black 2 pieces

## Description

This conduit fitting by Delock can be used for easy mounting on corrugated protective conduits. The fitting has a high level of sealing, tensile strength and resilience. In combination with the Delock protective conduit 60459, it provides a secure and firm hold.

### IP68 dust and waterproof

The fitting also offers increased protection against dirt and moisture.

### Multifunctional application

Due to the robust design, conduit fittings are often used in installations, automation and machine systems.

### Note

The fitting is suitable for the Delock protective conduit 60459.



2 x

**Item no. 60455**

EAN: 4043619604555

Country of origin: China

Package: Poly bag

## Technical details

- Thread size: M25
- Thread length: 13.0 mm
- Thread diameter: ca. 32.0 mm
- Spanner width: 29.0 mm
- Inner diameter: ca. 22.0 mm
- Outer diameter: ca. 41.0 mm
- Protection class: IP68
- Operating temperature: -40 °C ~ 125 °C
- Material: plastic / brass
- Colour: black

## Package content

- 2 x conduit fitting

## Images



## Technical characteristics

Operating temperature:	-40 °C ~ 125 °C
------------------------	-----------------

## Physical characteristics

Thread length:	13.0 mm
Material:	plastic / brass
Colour:	black
Thread type:	M20