

Delock Adapter USB 2.0 Type-A to 1 x Serial RS-232 DB9

Description

This adapter by Delock enables the connection of a serial device via a USB Type-A port.



0,8 m

Item no. 61460

EAN: 4043619614608

Country of origin: China

Package: Retail Box

Technical details

- Connectors:
 - 1 x USB 2.0 Type-A male >
 - 1 x serial RS-232 DB9 male with nuts
- Chipset: FTDI
- Data transfer rate up to 460.8 Kbps
- Cable length incl. connectors: ca. 0.8 m



System requirements

- Linux Kernel 2.6 or above
- Mac OS 10.6 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64/11
- PC or laptop with a free USB Type-A port

Package content

- USB 2.0 to 1 x serial adapter
- USB 2.0 extension cable
- Driver CD
- User manual

Images



General

| | |
|-----------------------------|---|
| Function: | Plug & Play |
| Specification: | RS-232 (EIA / TIA) USB 1.1 USB 2.0 |
| Supported operating system: | Linux Kernel 2.6 or above Mac OS 10.9 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit Windows Server 2008 R2 Windows Server 2012 R2 Windows Server 2012 Windows Server 2016 |

Interface

| | |
|--------------|----------------------------|
| Connector 1: | 1 x USB 2.0 Type-A male |
| Connector 2: | 1 x Serial RS-232 DB9 male |

Technical characteristics

| | |
|----------------------|--|
| Chipset: | FTDI FT232RL |
| FIFO: | 128 byte 256 Byte |
| Signal transmission: | TxD, RxD, RTS, CTS, DTR, DSR, DCD, RI, GND |
| Data transmission: | asynchronous full duplex |
| Current consumption: | 20 mA |

Physical characteristics

| | |
|---------------|-------|
| Cable colour: | black |
|---------------|-------|

| | |
|-------------------------------|-------------|
| Cable length: | 80 cm |
| Cable length incl. connector: | 87 cm |
| Pin finishing: | gold-plated |
| Screw type: | #4-40 UNC |
| Shielding: | double |
| Colour: | black |