

Delock Adapter USB 2.0 Type-A to 1 x Serial RS-232 D-Sub 9 pin male with nuts

Description

This USB 2.0 Type-A to serial adapter by Delock provides an RS-232 port for meters, POS systems, printers, modems, IoT devices, etc. The USB cable can optionally be used as an extension.



80 cm

Item no. 61506

EAN: 4043619615063

Country of origin: China

Package: Retail Box

Technical details

- Anschlüsse:
 - 1 x USB 2.0 Typ-A Stecker >
 - 1 x Seriell RS-232 DB9 Stecker mit Muttern
- Chipsatz: FTDI FT232RL
- Kompatibel mit USB 3.0, USB 2.0 und USB 1.1
- Signale: TxD, RxD, RTS, CTS, DTR, DSR, DCD, RI, GND
- Datentransferrate bis zu 921,6 Kbps
- Kabellänge inkl. Anschlüsse: ca. 80 cm
- Farbe: schwarz


System requirements

- Linux Kernel 5.8.0 or above
- Mac OS 11.4 or above
- Windows 8.1/8.1-64/10/10-64/11
- Windows Server 2016/Windows Server 2019
- PC or laptop with a free USB Type-A port

Package content

- USB 2.0 to 1 x serial adapter
- Adapter DB9 to DB25
- Driver CD
- User manual

Images



General

Function:	Plug & Play
Specification:	USB 2.0
Supported operating system:	Linux Kernel 2.6 or above Mac OS 10.11 or above Windows 10 32-Bit Windows 10 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit Windows Server 2016 Windows Server 2019 Windows 11
Protection:	ESD (Electrostatic Discharge)

Interface

connector:	1 x USB 2.0 Type-A male
Connector 2:	1 x Serial RS-232 DB9 male

Technical characteristics

Chipset:	FTDI 232R
Data transfer rate:	up to 921.6 Kbps
Data transmission:	asynchronous Bi-directional full duplex
UART:	USB to serial UART

Physical characteristics

Cable length incl. connector:	80 cm
Screw type:	#4-40 UNC
Colour:	black