

# Delock Mini DisplayPort 1.2 Adapter to VGA / HDMI / DVI / Audio female 4K Passive black

## Description

With this mini DisplayPort adapter by Delock, the system can be extended by a **VGA, HDMI or DVI interface** and various devices such as TV, projector, monitor etc. can be connected.

### Dual video output

If only one monitor is connected to the HDMI output, a maximum resolution of **4K 30 Hz** can be achieved.

It is possible to operate **two monitors simultaneously**, HDMI + VGA or DVI + VGA, with a maximum resolution of **1920 x 1080 @ 60 Hz** per monitor. In addition, it is then possible to extend or mirror the desktop.



**Item no. 62073**

EAN: 4043619620739

Country of origin: China

Package: Retail Box

## Technical details

- Connectors:
  - 1 x mini DisplayPort male >
  - 1 x VGA female
  - 1 x HDMI-A female
  - 1 x DVI 24+5 female
  - 1 x 3.5 mm 3 pin stereo jack female
  - 1 x USB 2.0 Type Micro-B female (optional for power supply)
- Chipset: Explore EP9632C
- DisplayPort 1.2 and High Speed HDMI with Ethernet (HEC) specification
- DVI-D (Single Link), VGA not wired
- Passive converter (level shifter), suitable only for graphics cards with DP++ output
- Audio signal is transmitted only over HDMI
- HDMI specification:
  - Resolution up to 3840 x 2160 @ 30 Hz (depending on the system and the connected hardware)
  - Supports 3D displays (1080p @ 60 Hz)
- VGA / DVI specification:
  - Resolution up to 1920 x 1080 @ 60 Hz (depending on the system and the connected hardware)

- 1 x ferrite core
- Cable length without connectors: ca. 15 cm
- Colour: black

---

## System requirements

- Linux Kernel 4.15 or above
- Windows 8.1/8.1-64/10/10-64/11
- A free mini DisplayPort DP++ female

---

## Package content

- Adapter mini DisplayPort to VGA / HDMI / DVI

---

## Images



## General

|                             |  |
|-----------------------------|--|
| Supported operating system: | Linux Kernel 4.15 or above<br>Windows 10 32-Bit<br>Windows 10 64-Bit<br>Windows 8.1 32-Bit<br>Windows 8.1 64-Bit |
|-----------------------------|--|

## Interface

|         |  |
|---------|--|
| Output: | 1 x 3.5 mm 3 pin stereo jack female<br>1 x HDMI-A female<br>1 x VGA 15 pin female<br>1 x DVI 24+5 female |
| Input:  | 1 x mini DisplayPort 20 pin male   |

## Technical characteristics

|                            |  |
|----------------------------|--|
| Maximum screen resolution: | 3840 x 2160 @ 30 Hz<br>1920 x 1080 @ 60 Hz |
|----------------------------|--|

## Physical characteristics

|               |       |
|---------------|-------|
| Ferrite core: | 1 x   |
| Cable length: | 15 cm |
| Colour:       | black |