

Delock Converter M.2 Key B+M male to 1 x RJ45 2.5 Gigabit LAN port horizontal

Description

This converter by Delock expands the system by one RJ45 2.5 Gigabit LAN port.

NBASE-T for higher speed

Modern services and new technologies require higher bandwidths. **NBASE-T technology** enables speeds of 1 Gbps and 2.5 Gbps with conventional networking cables. The best possible transmission rate is set automatically.



Item no. 62985

EAN: 4043619629855 Country of origin: Taiwan, Republic of China

Package: Retail Box

Technical details

• Connectors:

1 x M.2 key B+M male

1 x 2.5 Gigabit LAN RJ45 jack

• Chipset: Intel i225V

• Interface: PCIe 2.0

• Form factor: M.2 2280

Suitable for M.2 slot with key M or B based on PCIe

• Data transfer rate:

Ethernet up to 10 Mbps (Half/Full Duplex)

Fast Ethernet up to 100 Mbps (Half/Full Duplex)

Gigabit Ethernet up to 1000 Mbps (Half/Full Duplex)

NBASE-T with up to 2.5 Gbps

· Compatible with:

IEEE 802.3: 10BASE-T IEEE 802.3u: 100BASE-TX IEEE 802.3ab: 1000BASE-T

Supports PXE

Supports 9k Jumbo Frames



- · LED indicator for link and activity
- Dimensions (LxWxH): ca. 80 x 22 x 16 mm

System requirements

- Linux Kernel 5.15 or above
- Windows 10/10-64/11
- A free M.2 key B or key M slot

Package content

- Converter
- Screw
- User manual

Images











General

Form factor:	M.2 2280
Supported operating system:	Windows 10 32-Bit Windows 10 64-Bit Windows 11 Linux Kernel 5.15 or above

Interface

Connector 1:	1 x M.2 key B+M male
	1 x RJ45 jack

Technical characteristics

Chipset:	Intel® i225
Data transfer rate:	Ethernet up to 10 Mbps Fast Ethernet up to 100 Mbps Gigabit Ethernet up to 1 Gbps Gigabit Ethernet up to 2.5 Gbps