

Navilock Car charger 1 x USB Type-C™ + 1 x USB Type-A 32 W

Description

This Navilock USB car charger can be used to charge two USB devices. One port is equipped with a USB Type-C™ connector, thereby supported devices can be charged with up to 3 A. The second port with a USB Type-A connector provides up to 1 A with intelligent charging technology for conventional devices.



Item no. 63069

EAN: 4043619630691

Country of origin: China

Package: Retail Box

Technical details

- Connectors:
 - 1 x USB Type-C™ female
 - 1 x USB Type-A female
- Input: DC 12 ~ 24 V
- Output:
 - USB Type-C™ female: 5 V / 3.0 A, 9 V / 3.0 A, 12 V / 2.25 A
 - USB Type-A female: 5 V / 1.0 A
- Over load protection
- Over current protection
- Overheating protection
- Short circuit protection
- LED indicator
- Operating temperature: 0 °C ~ 40 °C
- Storage temperature: -20 °C ~ 85 °C
- Colour: black
- Dimensions (LxD): ca. 68.3 x 30.0 mm

Package content

- Car charger

Images



Technical characteristics

| | |
|------------------------|----------------|
| Storage temperature: | -20 °C ~ 85 °C |
| Operating temperature: | 0 °C ~ 40 °C |

Physical characteristics

| | |
|-----------------|---------|
| Housing colour: | black |
| Diameter: | 30.0 mm |
| Length: | 68.3 mm |

Power supply

| | |
|------------|--|
| Type: | Car charger |
| Input: | DC 12 - 24 V |
| Output: | 5.0 V / 3.0 A 5 V / 1 A 9.0 V / 3.0 A 12 V / 2.25 A |
| Connector: | 1 x USB Type-A female 1 x USB Type-C™ female |