


Delock SMC plug 90° angled for crimping RG-174 / RG-316

Description

This plug by Delock is suitable for connecting components of radio frequency technology.



Item no. 65860

EAN: 4043619658602

Country of origin: China

Package: Zip poly bag

Technical details

- Connector: 1 x SMC plug 90° angled for crimping
- Cable type: RG-174 / RG-316
- Housing material: brass gold plated
- Impedance: 50 Ohm
- Frequency range: DC - 6 GHz
- VSWR: 1.5 / 3 GHz
- Operating temperature: -55 °C ~ 155 °C
- Dimensions (LxWxH): ca. 15.5 x 12.5 x 6.5 mm

System requirements

- Device with a free SMC port

Package content

- RF Adapter

Interface

| | |
|------------|-------------------------|
| connector: | 1 x SMC plug 90° angled |
|------------|-------------------------|

Technical characteristics

| | |
|------------------------|-----------------|
| Frequency range: | DC - 6 GHz |
| Impedance: | 50 Ω |
| Operating temperature: | -55 °C ~ 155 °C |
| VSWR: | 1.3 / 3 GHz |

Physical characteristics

| | |
|-------------------|-------------------|
| Housing material: | brass gold plated |
| Cable type: | RG-174 RG-316 |
| Length: | 15.5 mm |
| Width: | 6.5 mm |
| Height: | 12.50 mm |