

Delock USB Gooseneck Microphone with base and mute + on / off button

Description

This **USB microphone** by Delock can be used for **voice and vocal transmissions**. The rubberized base provides a non-slip stand and the **gooseneck** allows the microphone to bend in the ideal direction. The LED ring and the green LED indicate operability and mute activation or deactivation by means of blue or red light. The Mute button mutes the microphone and the ON button switches it on and off.



Item no. 65871

EAN: 4043619658718

Country of origin: China

Package: Retail Box

Technical details

- Connector: 1 x USB 2.0 Type-A reversible male
- Directivity: unidirectional
- Sensitivity: -44 dB +/- 3 dB
- Frequency range: 70 Hz - 9 kHz
- Sample rate: 16 Bit / 48 kHz
- Function key:
 - 1 x On / Off switch
 - 1 x mute switch
- Gooseneck, length ca. 25 cm
- Status LED
- Rubber Base
- Colour: black
- Cable length: ca. 1.7 m
- Dimensions (LxWxH): ca. 120 x 85 x 320 mm
- USB bus powered
- Plug & Play

System requirements

- Linux Kernel 3.3 or above
- Mac OS 10.9 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- PC or laptop with a free USB Type-A port

Package content

- USB microphone
- User manual

Images



General

Function:	Plug & Play
Supported operating system:	Linux Kernel 3.3 or above Mac OS 10.9 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit
LED indicator:	power and activity
Style:	with on/off button

Interface

connector:	1 x USB 2.0 Type-A reversible male
------------	------------------------------------

Technical characteristics

Frequency range:	70 Hz - 9 kHz
Voltage:	USB bus powered
Sensibility:	-44 dB +/- 3 dB
Sample rate:	16 Bit / 48 kHz

Physical characteristics

Cable length:	1.7 m
Length:	120 mm
Width:	85 mm
Height:	320 mm
Colour:	black