

# Delock Adapter SMC jack > SMB jack

## Description

This adapter by Delock is suitable for connecting components of radio frequency technology.



**Item no. 65875**

EAN: 4043619658756

Country of origin: China

Package: Zip poly bag

## Technical details

- Connector:
  - 1 x SMC jack >
  - 1 x SMB jack
- Housing material: brass gold plated
- Impedance: 50 Ohm
- Frequency range: DC - 6 GHz
- VSWR: 1.45 / 1 GHz
- Operating temperature: -55 °C ~ 155 °C
- Length: ca. 19.5 mm
- Diameter: ca. 8 mm

## System requirements

- Device with a free SMC port

## Package content

- RF Adapter



### Interface

|              |              |
|--------------|--------------|
| Connector 1: | 1 x SMC jack |
| Connector 2: | 1 x SMB jack |

### Technical characteristics

|                        |                 |
|------------------------|-----------------|
| Frequency range:       | DC - 6 GHz      |
| Impedance:             | 50 Ω            |
| Operating temperature: | -55 °C ~ 155 °C |
| VSWR:                  | 1.45 / 1 GHz    |

### Physical characteristics

|                   |                   |
|-------------------|-------------------|
| Housing material: | brass gold plated |
| Diameter:         | 8 mm              |
| Length:           | 19.5 mm           |