

# Delock Adapter D-Sub 9 pin male to Terminal Block 9 pin with Push Button

## Description

This terminal block adapter by Delock can be used to connect bare wires. Thus the adapter is not only convenient for special industry applications, but also for the hobby area, e.g. railway modelling.



**Item no. 66321**

EAN: 4043619663217

Country of origin: China

Package: Zip poly bag

## Technical details

- Connectors:
  - 1 x serial D-Sub 9 male with screws
  - 1 x 9 pin terminal block with push button
- Pin assignment: 1:1
- Pitch: 2.54 mm
- Useable for a cable gauge from 26 to 20 AWG
- Operating temperature: -20 °C ~ 70 °C
- Dimensions (LxWxH): ca. 36 x 31 x 17 mm

## System requirements


- A free D-Sub 9 pin female

## Package content

- Adapter

---

## Images



## Interface

Connector 1:	1 x serial Sub-D 9 male with screws
Connector 2:	1 x 9 pin terminal block with push-button

## Technical characteristics

Operating temperature:	-20 °C ~ 70 °C
------------------------	----------------

## Physical characteristics

Pitch distance:	2.54 mm
Conductor gauge:	26 - 20 AWG
Length:	36 mm
Width:	31 mm
Height:	17 mm