


# Delock PCI Express x1 Card to 1 x RJ45 5 Gigabit LAN RTL8126

## Description

The PCI Express card by Delock offers **one network port** with a data transfer rate up to **5 Gbps**.

### NBASE-T for higher speed

Modern services and new technologies require higher bandwidths. NBASE-T technology enables speeds of **1 Gbps, 2,5 Gbps and 5 Gbps** with conventional networking cables. The best possible transmission rate is set automatically.



**Item no. 81260**

EAN: 4043619812608

Country of origin: China

Package: Retail Box

## Technical details

- Connectors:  
external: 1 x 5 Gigabit LAN RJ45 jack  
internal: 1 x PCI Express x1, V3.0
- Chipset: Realtek RTL8126
- Data transfer rate:  
Ethernet up to 10 Mbps  
Fast Ethernet up to 100 Mbps  
Gigabit Ethernet up to 1000 Mbps  
NBASE-T with up to 2.5 Gbps and 5 Gbps  
PCI Express x1 up to 8 Gbps
- Supports IEEE 802.3 / 802.3u / 802.3ab
- Supports Wake On LAN (WOL)
- Supports IEEE 802.1P layer 2 priority encoding
- Supports IEEE 802.3x full duplex flow control
- Supports IEEE 802.1Q Virtual LAN (VLAN)
- Supports 16k Jumbo Frames
- LED indicator for link and activity

---

## System requirements

- Windows 10/10-64/11
- PC with one free PCI Express slot

---

## Package content

- PCI Express card
- Low profile bracket
- User manual

---

## Images



## General

|                             |                                                      |
|-----------------------------|------------------------------------------------------|
| Supported operating system: | Windows 10 32-Bit<br>Windows 10 64-Bit<br>Windows 11 |
| LED indicator:              | Link and activity                                    |

## Interface

|           |                           |
|-----------|---------------------------|
| External: | 1 x Gigabit LAN RJ45 jack |
| Internal: | 1 x PCI Express x1, V3.0  |

## Technical characteristics

|                     |                                                                                                                                                             |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Chipset:            | Realtek RTL8126                                                                                                                                             |
| Data transfer rate: | Ethernet up to 10 Mbps<br>Fast Ethernet up to 100 Mbps<br>Gigabit Ethernet up to 1 Gbps<br>Gigabit Ethernet up to 2.5 Gbps<br>Gigabit Ethernet up to 5 Gbps |

## Physical characteristics

|               |                         |
|---------------|-------------------------|
| Slot bracket: | Low Profile<br>standard |
|---------------|-------------------------|