

# Delock USB 10 Gbps Cable USB Type-E Key A 20 pin male to USB Type-C™ female panel-mount 25 cm

## Description

This cable by Delock can be connected to the internal USB 10 Gbps USB Type-E Key A socket of a motherboard or a PCI Express card and can be used to extend a USB connection. The USB Type-C™ connector can be attached with two existing screws, e.g. on a slot bracket or a chassis with the corresponding recess. In this way, it is possible to install a USB connector in an easily accessible position.



**Item no. 85454**

EAN: 4043619854547

Country of origin: China

Package: Zip poly bag

## Technical details

- Connectors:
  - 1 x USB 10 Gbps type-E Key A 20 pin male
  - 1 x USB 10 Gbps USB Type-C™ female
- Two mounting holes for screws, spacing 20 mm, with M3 thread
- Output: 5.0 V / 1.5 A
- Cable gauge:
  - 32 AWG data line
  - 24 AWG power line
- Cable diameter: ca. 4.5 mm
- Length incl. connectors: ca. 25 cm

## Package content

- USB cable

## Images



## Interface

|              |  |
|--------------|--|
| connector:   | 1 x USB 10 Gbps type-E Key A 20 pin male |
| Connector 1: | 1 x USB 10 Gbps Type-B female            |

## Technical characteristics

|                     |         |
|---------------------|---------|
| Data transfer rate: | 10 Gbps |
| Maximum current:    | 1.5 A   |
| Voltage:            | 5 V     |

## Physical characteristics

|                  |                                       |
|------------------|---------------------------------------|
| Conductor gauge: | 32 AWG data line<br>24 AWG power line |
| Screw distance:  | 20 mm                                 |
| Screw type:      | M3                                    |
| Length:          | 25 cm                                 |