

# Delock Media Converter 1000Base-X SFP to SFP

## Description

This Gigabit Ethernet Media Converter by Delock can be used to connect different optical media. For example, multimode fiber can be converted to singlemode fiber. In the SFP slots, various optional 1 Gb/s SFP modules by Delock can be used.



**Item no. 86203**

EAN: 4043619862030

Country of origin: China

Package: White Box

## Technical details

- Connector:  
2 x SFP slot for 1000Base-X SFP module (SFP modules not included)
- Data transfer rate up to 1 Gb/s
- 6 LEDs for status monitoring
- Power consumption: 2.5 W
- Operating temperature: 0° ~ 55° C
- Metal housing
- Fanless
- Dimensions (LxWxH): ca. 95 x 70 x 26 mm

## Power supply specification

- Wall power supply
- Input: AC 100 ~ 240 V / 50 ~ 60 Hz / 0.2 A
- Output: 5 V / 1.0 A
- Ground outside, plus inside
- Dimensions:  
inside: ø ca. 2.1 mm  
outside: ø ca. 5.5 mm

length: ca. 9.5 mm

---

## System requirements

- 1000Base-X SFP module
- 

## Package content

- Media Converter
  - Power supply
  - User manual
- 

## Images



## Interface

Output:	1 x SFP jack
Input:	1 x 5 V DC female 5,5 mm x 2,1 mm 1 x SFP jack

## Technical characteristics

Data transfer rate:	Gigabit Ethernet up to 1 Gbps
---------------------	-------------------------------

## Physical characteristics

Housing colour:	black
Housing material:	metal
Length:	95 mm
Width:	70 mm
Height:	26 mm

## Power supply

Type:	Euro wall power supply
Input:	AC 100 - 240 V / 50 - 60 Hz / 0.2 A
Output:	5 V / 1 A
Connector:	DC male 5.5 mm x 2.1 mm