

# Delock D-Type Module USB 3.2 Gen 1 Type-A female to USB 3.2 Gen 1 Type-A female with protective cap IP67 dust and waterproof

## Description

This module by Delock can be mounted e.g. in panels or cases with D-type openings for XLR jacks. This makes it ideal for integrating digital equipment into professional audio systems.

### IP67 dust and waterproof

The coupler offers increased protection from dirt and moisture for the connection of the cables.



**Item no. 86971**

EAN: 4043619869718

Country of origin: China

Package: Zip poly bag

## Technical details

- Connectors:
  - 1 x SuperSpeed USB 5 Gbps (USB 3.2 Gen 1) Type-A female
  - 1 x SuperSpeed USB 5 Gbps (USB 3.2 Gen 1) Type-A female
- For D-type ports with 31 x 25 mm
- Panel cut-out (diameter): ca. 24 mm
- Data transfer rate up to 5 Gbps
- Protection class: IP67
- With protective cap
- Two mounting holes for screw fastening
- Material: plastic
- Colour: black
- Dimensions (LxWxH): ca. 32.4 x 31.0 x 26.0 mm

## Package content

- D-Type module

---

## Images



### Interface

Connector 1:	1 x USB 5 Gbps Type-A female
Connector 2:	1 x USB 5 Gbps Type-A female

### Technical characteristics

Data transfer rate:	5 Gbps
---------------------	--------

### Physical characteristics

Material:	Plastic
Length:	32.4 mm
Width:	31.0 mm
Height:	26.0 mm
Colour:	black