

# Delock High Speed HDMI cable male straight to male 90° downwards angled 48 Gbps 8K 60 Hz 3 m

## Description

This high-quality High Speed HDMI cable by Delock can be used to connect devices with an HDMI interface, such as televisions, Blu-ray players, monitors or projectors. By supporting a maximum bandwidth of 48 Gbps, content can be displayed in **8K Ultra HD** (7680 x 4320 @ 60 Hz) resolution.

### Dynamic HDR and Dolby® Vision support

Supporting Dynamic HDR and Dolby® Vision, the cable is ideal for home cinema and gaming applications. Colours are realistically displayed with impressive depth, brightness and contrast are optimally reproduced.

### Perfect sound with eARC support

The Delock HDMI cable supports Enhanced ARC (eARC). This allows HDMI devices such as Blu-ray players to be connected directly to the TV. The uncompressed audio signals are then transmitted directly and lossless to the connected sound system via the audio return channel.



3 m

**Item no. 86993**

EAN: 4043619869930

Country of origin: China

Package: Retail Box

## Technical details

- Connectors:
  - 1 x HDMI male >
  - 1 x HDMI male angled
- High Speed HDMI specification
- Downwards compatible to High Speed HDMI with Ethernet
- Cable gauge: 28 AWG
- Cable diameter: ca. 7.3 mm
- Contacts gold-plated
- Connector finishing: gold-plated
- Transmission of audio and video signals
- Data transfer rate up to 48 Gbps
- Resolution up to:
  - 7680 x 4320 @ 60 Hz

5120 x 2880 @ 120 Hz

3840 x 2160 @ 240 Hz

(depending on the system and the connected hardware)

- 3D support: up to 3840 x 2160 @ 120 Hz  
(depending on the system and the connected hardware)
- Supports the 21:9 cinema aspect ratio
- Supports 1080p HFR (High Frame Rate) 3D
- Supports colour sampling in 4:4:4, 4:2:2 and 4:2:0 format
- Supports Display Stream Compression 1.2 (DSC)
- Supports Dolby® Vision
- Supports Dynamic HDR
- Supports HDCP 1.4 and 2.2
- Supports Game Mode VRR
- Supports eARC
- Up to 32 audio channels for speakers
- Up to 1536 kHz audio sampling rate
- Supports Dolby® TrueHD and DTS-HD Master Audio™
- Supports dynamic adjustment of lip synchronicity for audio / video delays
- Supports CEC 2.0 control commands
- Colour: black / turquoise
- Length incl. connectors: ca. 3 m

---

## System requirements

- A free HDMI interface

---

## Package content

- High Speed HDMI cable

---

## Images



## General

|                |   |
|----------------|---|
| Specification: | High Speed HDMI<br>Dolby® Vision<br>HDR |
| Style:         | angled 90°                              |

## Interface

|              |                 |
|--------------|-----------------|
| Connector 1: | 1 x HDMI-A male |
| Connector 2: | 1 x HDMI-A male |

## Technical characteristics

|                            |                     |
|----------------------------|---------------------|
| Data transfer rate:        | 48 Gb/s             |
| Maximum screen resolution: | 7680 x 4320 @ 60 Hz |

## Physical characteristics

|                  |                                       |
|------------------|---------------------------------------|
| Pin finishing:   | gold-plated                           |
| Conductor gauge: | 30 AWG data line<br>26 AWG power line |
| Length:          | 3 m                                   |
| Colour:          | black / turquoise                     |