

Delock HDMI Splitter 1 x HDMI in > 2 x HDMI out 4K

Description

This splitter by Delock receives a HDMI signal from a PC or laptop and splits it to two connected displays. Thereby one HDMI connection can be used to operate two HDMI monitors.



Item no. 87701

EAN: 4043619877010
 Country of origin: China
 Package: Retail Box

Technical details

- Connector:
 - Input:
 - 1 x HDMI-A 19 pin female
 - 1 x 5 V DC jack 2.1 x 5.5 mm
 - Output:
 - 2 x HDMI-A 19 pin female
- High Speed HDMI specification
- Supports 3D displays
- Supports HDCP 1.3
- LED indicator
- Resolution up to 3840 x 2160 @ 30 Hz (depending on the system and the connected hardware)
- Video bandwidth up to 340 MHz
- Power consumption: max. 2.0 W
- Metal housing
- Colour: black
- Dimensions (LxWxH): ca. 63 x 54 x 18 mm

Power supply specification

- Wall power supply
- Input: AC 100 ~ 240 V / 50 ~ 60 Hz / 0.3 A
- Output: 5 V / 1 A
- Ground outside, plus inside
- Dimensions:
 - inside: \varnothing ca. 2.1 mm
 - outside: \varnothing ca. 5.5 mm
 - length: ca. 9 mm

System requirements

- A free HDMI female port
- HDMI cable

Package content

- HDMI Splitter
- USB power cable, length: ca. 0.5 m
- External power supply
- User manual

Images



General

Specification:	High Speed HDMI HDCP 1.3
----------------	-----------------------------

Interface

Output:	2 x HDMI-A female
Input:	1 x HDMI-A female 1 x 5 V DC female 5,5 mm x 2,1 mm

Technical characteristics

Maximum screen resolution:	3840 x 2160 @ 30 Hz
Video bandwidth:	340 MHz

Physical characteristics

Housing colour:	black
Housing material:	metal
Length:	60 mm
Width:	56 mm
Height:	22 mm

Power supply

Type:	Euro wall power supply
Input:	AC 100 - 240 V / 50 - 60 Hz / 0.3 A
Output:	5 V / 1 A
Connector:	DC male 5.5 mm x 2.1 mm
Cable length:	1 m