

Delock USB Type-C™ Splitter (DP Alt Mode) > 1 x HDMI + 1 x VGA out

Description

This splitter by Delock is suitable for the connection of a VGA monitor and an HDMI monitor to a computer with USB-C™ interface and DisplayPort alternate mode support. Two monitors can be operated simultaneously at the outputs, the same image is displayed on all ports.



Item no. 87730

EAN: 4043619877300

Country of origin: China

Package: Retail Box

Technical details

- Connectors:
 - Input:
 - 1 x USB Type-C™ male
 - Output:
 - 1 x HDMI-A 19 pin female
 - 1 x VGA 15 pin female
- VGA port with nuts
- DisplayPort 1.2 specification
- HDMI:
 - Resolution up to 2560 x 1440 @ 60 Hz / 3840 x 2160 @ 30 Hz (depending on the system and the connected hardware)
- VGA:
 - Resolution up to 1920 x 1080 @ 60 Hz (depending on the system and the connected hardware)
- Function: Mirrored
- USB bus powered
- Cable length incl. connectors: ca. 20 cm
- Dimensions (LxWxH): ca. 87 x 40 x 16 mm

System requirements

- Android 10.0 or above
- Chrome OS
- iPad Pro (3rd Generation) or above
- Linux Kernel 4.9 or above
- Mac OS 10.12 or above
- Windows 8.1/10/11
- PC or laptop with a free USB Type-C™ port and DisplayPort alternate mode or
- PC or laptop with a free Thunderbolt™ 3 port

Package content

- USB-C™ Splitter (DP Alt Mode)
- User manual

Images



General

Specification:	DisplayPort 1.2 USB Type-C™
Supported operating system:	Mac OS 10.9 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit Windows 11

Interface

Output:	1 x HDMI-A female 1 x VGA 15 pin female
Input:	1 x USB Type-C™ male

Technical characteristics

Maximum screen resolution:	3840 x 2160 @ 30 Hz
----------------------------	---------------------

Physical characteristics

Housing colour:	silver
Housing material:	metal
Cable length incl. connector:	10 cm
Length:	87 mm
Width:	40 mm
Height:	16 mm