

# Delock USB Type-C™ Splitter (DP Alt Mode) to 1 x HDMI + 1 x DisplayPort MST with USB Type-C™ PD

## Description

This splitter by Delock is suitable for the connection of a **DisplayPort monitor and an HDMI monitor** to a computer with **USB-C™** interface and DisplayPort alternate mode support. Two monitors can be operated simultaneously at the outputs.

### Multi-Stream Transport (MST)

The product is a Multi-Stream Transport (MST) hub and supports the extended desktop configuration of DisplayPort. In Windows, the connected monitors are controlled individually, and can be combined into one large display.

### USB Power Delivery (USB PD 3.0) support up to 100 watt

Supports the USB Power Delivery 3.0 standard, which allows connected devices to be powered with up to 100 W (20 V / 5 A).



**Item no. 87867**

EAN: 4043619878673

Country of origin: China

Package: Retail Box

## Technical details

- Connectors:
  - Input:
    - 1 x USB Type-C™ male
    - 1 x USB Type-C™ female (power supply)
  - Output:
    - 1 x HDMI-A female
    - 1 x DisplayPort female
- Chipset: VMM6210
- DisplayPort 1.4 specification
- Active converter, Single- / Multi-Stream Transport Hub (SST / MST)
- Supports Display Stream Compression 1.2 (DSC)
- Supports HDR
- Supports HDCP 1.4 and 2.2
- Maximum resolution (depending on the system and the connected hardware):
  - DisplayPort 1.4 Multi-Stream Transport (MST):
    - 2 displays: up to 3840 x 2160 @ 60 Hz
  - DisplayPort 1.2 Multi-Stream Transport (MST):

- 2 displays: up to 3840 x 2160 @ 30 Hz
- Functions: Mirrored or Extended (Windows only)
- Transmission of audio and video signals
- USB bus powered
- Colour: black
- Cable length incl. connectors: ca. 15 cm
- Dimensions (LxWxH): ca. 51.0 x 51.0 x 16.5 mm

---

## System requirements

- Windows 8.1/8.1-64/10/10-64/11
- PC or laptop with a free USB Type-C™ port and DisplayPort alternate mode or
- PC or laptop with a free Thunderbolt™ 3 port

---

## Package content

- USB-C™ Splitter (DP Alt Mode)
- User manual

---

## Images



## General

|                             |  |
|-----------------------------|--|
| Specification:              | DisplayPort 1.4  |
| Supported operating system: | Windows 10 32-Bit<br>Windows 10 64-Bit<br>Windows 8.1 32-Bit<br>Windows 8.1 64-Bit<br>Windows 11 |

## Interface

|         |   |
|---------|---|
| Output: | 1 x DisplayPort female<br>1 x HDMI-A female                   |
| Input:  | 1 x USB Type-C™ female (power supply)<br>1 x USB Type-C™ male |

## Technical characteristics

|                            |                     |
|----------------------------|---------------------|
| Maximum screen resolution: | 3840 x 2160 @ 60 Hz |
|----------------------------|---------------------|

## Physical characteristics

|                               |           |
|-------------------------------|-----------|
| Housing colour:               | grey      |
| Housing material:             | Aluminium |
| Cable length incl. connector: | 15 cm     |
| Length:                       | 51 mm     |
| Width:                        | 51 mm     |
| Height:                       | 16.5 mm   |