

# Delock RP-SMA jack for crimping RG-174 / RG-316 with matching shrink tube

## Description

This jack by Delock with matching shrink tube is suitable for connecting components of radio frequency technology.



**Item no. 90044**

EAN: 4043619900442

Country of origin: Taiwan,  
Republic of China

Package: Zip poly bag

## Technical details

- Connector: 1 x RP-SMA jack for crimping
- Cable type: RG-174 / RG-316
- Housing: brass gold plated
- Impedance: 50 Ohm
- Frequency range: DC - 6 GHz
- Dimensions (LxWxH):  
Connector: ca. 19.7 x 8 x 8 mm  
Heat shrink tube: ca. 20 x 3.5 x 3.5 mm

## System requirements

- Coaxial cable suitable for crimping

## Package content

- 5 x HF Adapter

### Interface

|            |                 |
|------------|-----------------|
| connector: | 1 x RP-SMA jack |
|------------|-----------------|

### Technical characteristics

|                  |        |
|------------------|--------|
| Frequency range: | 6 GHz  |
| Impedance:       | 50 Ohm |

### Physical characteristics

|                             |                   |
|-----------------------------|-------------------|
| For cable diameter from to: | RG-174            |
| Material body:              | brass gold plated |
| Diameter:                   | 8 mm              |
| Length:                     | 19.7 mm           |