


# Delock 8 port SATA PCI Express x1 Card - Low Profile Form Factor

## Description

The PCI Express card by Delock expands a PC by **eight internal SATA ports**. Different devices such as SSDs, hard drives, DVD-drives etc. can be connected to the card.



**Item no. 90072**

EAN: 4043619900725

Country of origin: China

Package: Retail Box

## Technical details

- Connectors:
  - 8 x SATA 6 Gb/s 7 pin plug
  - 1 x PCI Express x1, V2.0
  - 8 x 2 pin pin header for LED
- Chipset: Asmedia ASM1064, ASM1182E
- Supports Native Command Queuing (NCQ)
- Supports S.M.A.R.T.
- Supports TRIM
- Supports DevSleep
- Hot Swap
- Bootable

## System requirements

- Linux Kernel 5.8 or above
- Windows 8.1/8.1-64/10/10-64
- Windows Server 2019

- PC with one free PCI Express slot


---

## Package content

- PCI Express card
- Low profile bracket
- User manual

---

## Images



## General

Form factor:	Low Profile
Function:	Hot Swap bootable TRIM S.M.A.R.T.
Supported operating system:	Linux Kernel 5.8.0 or above Windows 10 32-Bit Windows 10 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit Windows Server 2019

## Interface

Connector 1:	8 x SATA 6 Gb/s 7 pin plug
Connector 2:	1 x PCI Express x1, V2.0
connector 3:	8 x 2 pin pin header for LED

## Technical characteristics

Chipset:	ASM1182e Asmedia ASM1064
Data transfer rate:	6 Gb/s