


# Delock PCI Express x4 Card to 1 x external USB 10 Gbps USB Type-C™ female + 1 x internal USB 10 Gbps Type-A female - Low Profile Form Factor

## Description

This PCI Express card by Delock expands the PC by **two USB 10 Gbps ports**. Different USB devices such as USB flash memory, card reader, external enclosure etc. can be connected. The card allows a data transfer rate of 10 Gbps on both ports when used simultaneously.



**Item no. 90158**

EAN: 4043619901586

Country of origin: Taiwan, Republic of China

Package: Box

## Technical details

- Connectors:
  - external: 1 x USB 10 Gbps USB Type-C™ female
  - internal:
    - 1 x PCI Express x4, V3.0
    - 1 x USB 10 Gbps Type-A female
- Chipset: Asmedia ASM3142
- Data transfer rate up to 10 Gbps
- Power supply via PCI Express interface or via SATA 15 pin power connector
- Electrical power per port:
  - USB Type-C™: max. 15 watt (5 V / 3 A)
  - USB Type-A: max. 10 watt (5 V / 2 A)
- Supports eXtensible Host Controller Interface (xHCI) specification 1.1
- Supports Multiple INs
- Bootable

## System requirements

- Linux Kernel 5.15 or above
- Windows 10/10-64/11
- PC with one free PCI Express x4 / x8 / x16 / x32 slot


---

## Package content

- PCI Express card USB 10 Gbps
- Low profile bracket
- User manual

---

## Images



### General

Form factor:	Low Profile
Supported operating system:	Windows 10 32-Bit Windows 10 64-Bit Windows 11 Linux Kernel 5.15 or above

### Interface

External:	1 x USB 10 Gbps USB Type-C™ female
Internal:	1 x PCI Express x4, V3.0 1 x SATA 15 pin power connector 1 x USB 10 Gbps Type-A female

### Technical characteristics

Chipset:	Asmedia ASM3142
Data transfer rate:	10 Gbps

### Physical characteristics

Slot bracket:	Low Profile standard
---------------	----------------------