


# Delock 2 port SATA PCI Express x1 Card with RAID

## Description

This PCI Express card by Delock expands the PC by two internal SATA ports. Different devices such as SSDs, hard drives, DVD-drives etc. can be connected to the card.

### RAID

When using more than one SATA port, there is the possibility to use different RAID modes.



**Item no. 90392**

EAN: 4043619903924

Country of origin: China

Package: Retail Box

## Technical details

- Connectors:
  - 2 x SATA 6 Gb/s 7 pin plug
  - 1 x PCI Express x1, V2.0
  - 2 x 2 pin pin header for LED
- Chipset: Asmedia ASM1061R
- Supports RAID 0, 1, SPAN
- Supports Native Command Queuing (NCQ)
- Supports S.M.A.R.T.
- Supports TRIM
- Supports DevSleep
- Hot Swap
- Bootable

## System requirements

- Linux Kernel 3.3 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64/11
- PC with one free PCI Express slot

---

## Package content

- PCI Express card
- Low profile bracket
- LED cable
- Driver CD
- User manual

---

## Images



## General

Supported operating system:	Linux Kernel 3.3 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit Windows 11
-----------------------------	---

## Interface

Internal:	1 x PCI Express x1, V2.0 2 x SATA 6 Gb/s 7 pin plug
-----------	--

## Technical characteristics

Chipset:	Asmedia ASM1061R
RAID function:	SPAN 0 1

## Physical characteristics

Slot bracket:	Low Profile standard
---------------	----------------------