


Delock Mini PCIe I/O PCIe half size 1 x RJ45 Gigabit LAN Low Profile

Description

This Mini PCIe module by Delock expands a system by one Gigabit LAN interface, which can be lead out via the slot bracket.



Item no. 95265

EAN: 4043619952656

Country of origin: China

Package: Retail Box

Technical details

- Connectors:
 - 1 x Mini PCIe male >
 - 1 x Gigabit LAN RJ45 jack
- Chipset: Realtek RTL8111H
- Form factor: Mini PCIe half size
- Interface: PCI Express revision 1.1
- Data transfer rate:
 - Ethernet up to 10 Mbps
 - Fast Ethernet up to 100 Mbps
 - Gigabit Ethernet up to 1000 Mbps
 - PCI Express x1 up to 2.5 Gbps
- Compatible with IEEE 802.3, IEEE 802.3u, IEEE 802.3ab
- Supports IEEE 802.3x full duplex flow control
- Supports IEEE 802.1P layer 2 priority encoding
- Supports IEEE 802.1Q Virtual LAN (VLAN)
- Cable length with connectors: ca. 30 cm

System requirements

- Linux Kernel 3.2 or above
 - Windows 7/7-64/8.1/8.1-64/10/10-64/11
 - Motherboard with a free Mini PCIe slot with a PCIe interface
 - PC with one free slot
-

Package content

- Mini PCIe module
 - 2 connecting cable
 - Slot bracket
 - Low profile bracket
 - Driver CD
 - User manual
-

Images



General

Form factor:	Mini PCIe half size
Supported operating system:	Linux Kernel 3.2 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit Windows 11

Interface

connector:	1 x RJ45 jack
------------	---------------

Technical characteristics

Chipset:	Realtek RTL8111H
Data transfer rate:	Ethernet up to 10 Mbps Fast Ethernet up to 100 Mbps Gigabit Ethernet up to 1 Gbps

Physical characteristics

Slot bracket:	Low Profile standard
---------------	-------------------------