

# Delock Mini PCIe Card full size to 2 x Serial RS-232 D-Sub 9 pin

## Description

The Mini PCI Express card by Delock expands a PC by two external serial RS-232 ports. Different devices such as scanner, protocol converter, IoT devices etc. can be connected to this card.



**Item no. 95273**

EAN: 4043619952731

Country of origin: China

Package: Retail Box

## Technical details

- Connectors:  
external: 2 x serial RS-232 DB9 male with nuts  
internal: 1 x Mini PCI Express, Rev. 1.1
- Chipset: Moschip MCS9901
- Form factor: Mini PCIe full size
- Data transfer rate up to 460.8 Kbps
- Compatible with 16C450 / 16C550 / 16C650 UART
- FIFO: 256 byte
- Cable length incl. connectors: ca. 30 cm

## System requirements


- Windows 8.1/8.1-64/10/10-64/11
- Motherboard with a free Mini PCIe slot with a PCIe interface

## Package content

- Mini PCIe module
- 1 x slot bracket with two serial ports
- Driver CD
- User manual

---

## Images



## General

|                             |   |
|-----------------------------|---|
| Form factor:                | Mini PCIe full size   |
| Supported operating system: | Linux Kernel 3.7 or above<br>Windows 10 32-Bit<br>Windows 10 64-Bit<br>Windows 8.1 32-Bit<br>Windows 8.1 64-Bit<br>Windows 11 |

## Interface

|              |                                |
|--------------|--------------------------------|
| Connector 1: | 1 x Mini PCI Express, Rev. 1.1 |
| Connector 2: | 2 x serial RS-232 DB9 plug     |

## Technical characteristics

|                     |  |
|---------------------|--|
| Chipset:            | ASIX MCS9904   |
| Data transfer rate: | 2 x 921,6 Kbps   |
| FIFO:               | 2 x 256 Byte   |
| Data transmission:  | asynchronous<br>full duplex<br>Bi-directional<br>Half duplex |
| UART:               | 16C450 / 16C550 / 16C650                                     |
| Data bits:          | 5, 6, 7, 8   |
| Stop bits:          | 1, 2   |

## Physical characteristics

|                               |       |
|-------------------------------|-------|
| Cable length incl. connector: | 30 cm |
|-------------------------------|-------|